

## General

Agrawal, Y.C., and H.C. Pottsmith. 1994. Laser diffraction particle sizing in STRESS, Cont. Shelf Res., 14, 1101-1121.

Cacchione, D.A. and D.E. Drake. 1982. Measurements of storm-generated bottom stresses on the continental shelf, J. Geophys. Res. 87: 1952-1960.

Cai, W.-J. and M. Dai. 2004. Comment on “Enhanced open ocean storage of CO<sub>2</sub> from shelf sea pumping. Science 306: 1477c.

Cane, M.A. and R.W. Houghton. 1987: Atlantic seasonality: Observations. In: E. Katz and J. Witte (Eds), Further Progress in Equatorial Oceanography. Nova University Press, Ft. Lauderdale, pp. 215-234.

Casey, K.S. and P. Cornillon, 1999. A comparison of satellite and in situ based sea surface climatologies. J. Climate 12: 1848-1863.

Dong, C.M., R. Houghton, H.W. Ou, D. Chen, and T. Ezer. 2004: Numerical study of the diapycnal flow through a tidal front with passive tracers, J. Geophys. Res.-Oceans 109: C5, Art. No. C05029.

Gardner W.D., A. Mishonov and M.J. Richardson. 2006. Global POC concentrations from in-situ and satellite data. Deep-Sea Res. II 53: 718-740.

Hansell, D.A., H.W. Ducklow, A.M. Macdonald, M.O’N. Baringer. 2004. Metabolic poise in the North Atlantic Ocean diagnosed from organic matter transports. Limnol. Oceanogr., 49: 1084–1094

Houghton, R.W. 1997. Lagrangian flow at the foot of a shelfbreak front using a dye tracer injected into the bottom boundary layer. Geophys. Res. Letts. 24: 2035-2038.

Houghton, R.W. 1996. Subsurface quasi-decadal fluctuations in the North Atlantic. J. Climate 9: 1363-1373.

Khatiwala, S. P., R. G. Fairbanks and R. W. Houghton. 1999. Freshwater sources to the coastal ocean off northeastern North America: Evidence from (H<sub>2</sub>O)-O-18/(H<sub>2</sub>O)-O-16. J. Geophys. Res.-Oceans 104: 18241-18255.

Lick, W., H. Huang and R. Jepsen. 1993. Flocculation of fine-grained sediments due to differential settling, J. Geophys. Res. 98: 10279-10288.

Lynch, J.F., J.D. Irish, C.R. Sherwood and Y.C. Agrawal. 1994. Determining suspended sediment particle size information from acoustical and optical backscatter measurements, Cont. Shelf Res. 14: 1139-1165.

Mishonov, A.V., W.D. Gardner and M.J. Richardson. 2003. Remote sensing and surface POC concentration in the South Atlantic. Deep-Sea Res. II 50: 2997-3015.

Thomas, H. Y. Bozec, K. Elkalay, H.J.W. de Baar. 2004. Enhanced open ocean storage of CO<sub>2</sub> from shelf sea pumping. Science 304: 1005-1008.

Thomas, H. Y. Bozec, K. Elkalay, H.J.W. de Baar. 2004. Response to comment on "Enhanced open ocean storage of CO<sub>2</sub> from shelf sea pumping". Science 306: 1477d.

Ullman, D.S. and P.C. Cornillon. 1999. Satellite-derived sea surface temperature fronts on the continental shelf off the northeast U.S. coast. J.Geophys. Res. 104: 23,459-23,478.

## New England

- Aikman, F., H.W. Ou and R.W. Houghton. 1988. Current Variability across the New-England Continental Shelf-Break and Slope. *Cont. Shelf Res.* 8: 625-651.
- Beardsley, R.C. and B. Butman. 1974. Circulation on the New England continental shelf: Response to strong winter storms. *Geophys. Res. Letts.* 1: 181-184.
- Bothner, M.H., E.C. Spiker, P.P. Johnson, R.R. Rendigs and P.J. Aruscavage. 1981. Geochemical evidence for modern sediment accumulation on the continental shelf off south New England, *J. Sed. Pet.* 51: 281-292.
- Chang, G.C. and T. D. Dickey. 2001. Optical and physical variability on timescales from minutes to the seasonal cycle on the New England shelf: July 1996 to June 1997. *J. Geophys. Res.* 106: 9435-9453.
- Garrison, L.E. and R.L. McMaster. 1966. Sediments and geomorphology of the continental shelf off southern New England, *Mar. Geol.* 4: 273-289.
- Green, R.E., H.M. Sosik and R.J. Olson. 2003. Contributions of phytoplankton and other particles to inherent optical properties in New England continental shelf waters. *Limnol. Oceanogr.* 48: 2377-2391.
- Houghton, R.W., F. Aikman and H.W. Ou. 1988. Shelf-slope frontal structure and cross-shelf exchange at the New-England shelf-break. *Cont. Shelf Res.* 8: 687-710.

## Georges Bank

- Bourne, D.W. and C.S. Yentsch. 1987. Phytoplankton, primary production, and microbiology. In: *Georges Bank*, [ed] R.H. Backus, pp. 210-212, MIT Press, Cambridge, MA.
- Brink, K.H., B.A. Magnell and M.A. Noble. 1987. Low-frequency currents and bottom-pressure variability. In: *Georges Bank*, [ed] R.H. Backus, pp. 140-146, MIT Press, Cambridge, MA.
- Brown, W.S. and J.A. Moody. 1987. Tides. In: *Georges Bank*, [ed] R.H. Backus, pp. 100-107, MIT Press, Cambridge, MA.
- Butman, B., R.C. Beardsley, B. Magnell, D. Frye, J.A. Vermersch, R. Schlitz, R. Limeburner, W.R. Wright and M.A. Noble. 1982. Recent observations of the mean circulation on Georges Bank. *J. Phys. Oceanogr.*, 12, 569-591.
- Butman, B. 1987. Physical processes causing surficial-sediment movement. In: *Georges Bank*, [ed] R.H. Backus, pp. 147-162, MIT Press, Cambridge, MA.

- Houghton, R.W. 2002. Diapycnal flow through a tidal front: a dye tracer study on Georges Bank. *J. Mar. Sys.* 37: 31-46.
- Houghton, R.W. and C. Ho. 2001. Diapycnal flow through the Georges Bank tidal front: A dye tracer study. *Geophys. Res. Letts.* 28: 33-36.
- Houghton, R.W. and R.G. Fairbanks. 2001. Water sources for Georges Bank. *Deep-Sea Res. II* 48: 95-114.
- O'Reilly, J.E., C. Evans-Zetlin, and D.A. Busch. 1987. Primary production. In: Georges Bank, [ed] R.H. Backus, pp. 220-233, MIT Press, Cambridge, MA.
- Parmenter, C.M., M.H. Bothner and B. Butman. 1983. Characteristics of resuspended sediment from Georges Bank collected with a sediment trap, *Est. Coast. Shelf Sci.* 17: 521-533.
- Smith, P.C., R.W. Houghton, R.G. Fairbanks and D.G. Mountain. 2001. Interannual variability of boundary fluxes and water mass properties in the Gulf of Maine and on Georges Bank: 1993-1997. *Deep-Sea Res. II* 48: 37-70.
- Sosik, H.M., R.E. Green, W.S. Pegau and C.S. Roesler. 2001. Temporal and vertical variability in optical properties of New England shelf waters during late summer and spring. *J. Geophys. Res.* 106: 9455-9472.

### Rhode Island

McKenna, J.H. 2004. DOC dynamics in a small temperate estuary: Simultaneous addition and removal processes and implications on observed nonconservative behavior. *Estuaries* 27: 604-616.

[DOC, production/removal](#)

## **Delaware River/Estuary**

Borch, N.H. and D.L. Kirchman. 1997. Concentration and composition of dissolved combined neutral sugars (polysaccharides) in seawater determined by HPLC-PAD. Mar. Chem. 57: 85-95.

Churchill, J.H., C.D. Wirick, C.N. Flagg, and L.J. Pietrafesa, Sediment resuspension over the continental shelf of the Delmarva peninsula, Deep-Sea Res., 101, 341-363, 1994.

Harvey, H.R., and A. Mannino. 2001. The chemical composition and cycling of particulate and macromolecular dissolved organic matter in temperate estuaries as revealed by molecular organic tracers. Org. Geochem. 32: 527-542.

[DOC, POC, TSP, C/N, black carbon\(DOM\)](#)

Houghton, R.W., C.E. Tilburg, R.W. Garvine, and A. Fong, 2004: Delaware River plume response to a strong upwelling-favorable wind event, Geophys. Res. Lett., 31, (L07302).

Mannino, A. 2000. Chemical composition of particulate and macromolecular dissolved organic matter in the Delaware Estuary and experimental diatom blooms: Sources and reactivity patterns. University of Maryland at College Park, PhD. Thesis.

[DOC, POC, TSP, C/N, black carbon\(DOM\)](#)

Mannino, A., Harvey, H.R., 1999. Lipid composition in particulate and dissolved organic matter in the Delaware Estuary: sources and diagenetic patterns. Geochimica et Cosmochimica Acta 63, 2219–2235.

Mannino, A., Harvey, H.R., 2000a. Biochemical composition of particles and dissolved organic matter along an estuarine gradient: sources and implications for DOM reactivity. Limnology and Oceanography 45, 775–788.

Mannino, A., Harvey, H.R., 2000b. Terrigenous dissolved organic matter along an estuarine gradient and its flux to the coastal ocean. Organic Geochemistry 31, 1611–1625.

## Mid-Atlantic Bight

Aluwihare, L.I., Repeta, D.J., Chen, R.F., 1997. A major biopolymeric component to dissolved organic carbon in surface sea water. *Nature* 387, 166–169.

[DOC](#)

Aluwihare, L.I., Repeta, D.J., Chen, R.F. 2002. Chemical composition and cycling of dissolved organic matter in the Mid-Atlantic Bight. *Deep-Sea Research II* 49: 4421–4437

[DOC](#)

Anderson, R.F., Fleisher, M.Q., Biscaye, P.E., Kumar, N., Dittrich, B., Kubik, P., Suter, M., 1994. Anomalous boundary scavenging in the Middle Atlantic Bight: Evidence from  $^{230}\text{Th}$ ,  $^{231}\text{Pa}$ ,  $^{10}\text{Be}$  and  $^{210}\text{Pb}$ . *Deep-Sea Research II* 41, 537–561.

Bacon, M.P., Belastock, R.A., Bothner, M.H., 1994.  $^{210}\text{Pb}$  balance and implications for particle transport on the continental shelf, US Middle Atlantic Bight. *Deep-Sea Research (II)* 41, 511–535.

Barth, J.A., D. Bogucki, S.D. Pierce and P.M. Kosro. 1998. Secondary circulation associated with a shelfbreak front. *Geophys. Res. Letts.* 25: 2761-2764.

Bates, N.R., and D.A. Hansell. 1999. A high resolution study of surface layer hydrographic and biogeochemical properties between Chesapeake Bay and Bermuda. *Mar. Chem.* 67: 1-16.

[DOC/TOC, TCO<sub>2</sub>, alkalinity, TON/DON, NO<sub>3</sub><sup>-</sup>, NO<sub>2</sub><sup>-</sup>, CTD](#)

Bauer, J.E., Druffel, E.R.M., 1998. Ocean margins as a significant source of organic matter to the deep open ocean. *Nature* 392, 482–485.

Bauer, J.E., E.R.M. Druffel, D.M. Wolgast and S. Griffin. 2001. Sources and cycling of dissolved and particulate organic radiocarbon in the northwest Atlantic continental margin. *Global Biogeochemical Cycles* 15: 615-636.

[DOC, POC, DIC, <sup>14</sup>C of DOC, POC, DIC](#)

Bauer, J.E., E.R.M. Druffel, D.M. Wolgast, and S. Griffin. 2002. Temporal and regional variability in sources and cycling of DOC and POC in the northwest Atlantic continental shelf and slope. *Deep-Sea Res. II* 49: 4387-4419.

[DOC, POC](#)

Biscaye, P.E., Anderson, R.F., 1994. Fluxes of particulate matter on the slope of the southern Middle Atlantic Bight: Seep-II. *Deep-Sea Research II* 41, 459-509.

[POC flux, PIC flux](#)

Biscaye, P.E., R.F. Anderson, and B.L. Deck, Fluxes of particles and constituents to the eastern United States continental slope and rise: SEEP-I, *Cont. Shelf Res.*, 8, 855-904, 1988.

## [POC flux, PIC flux, C/N](#)

Boehme, S.E., C.L. Sabine, C.E. Reimers. 1998. CO<sub>2</sub> fluxes from a coastal transect: a time-series approach Marine Chemistry 63: 49–67.

[TCO<sub>2</sub> flux, CO<sub>2</sub> flux, DO, alkalinity, nutrients](#)

Boss, E., W. S.Pegau, J.R.V. Zaneveld, and A.H. Barnard. 2001. Spatial and temporal variability of absorption by dissolved material at a continental shelf. J. GEOPHYS. RES. 106: 9499–9507.

Bothner, M.H., C.M. Parmenter, and J.D. Milliman, Temporal and spatial variations in suspended matter in continental shelf and slope waters off the north-eastern United States, Estuarine, Coastal, and Shelf Science, 13, 213-234, 1981.

Boyd, T., M.D. Levine, and S.R. Grad, Mooring observations from the Mid-Atlantic Bight, Rep. Oregon State University 97-2-164, 226 pp., Oregon State Univ., Corvallis, OR, 1997.

Burrage, D.M. and R.W. Garvine, Summertime hydrography at the shelfbreak front in the Middle Atlantic Bight, J. Phys. Ocean., 18, 1309-1319, 1988.

Butman, B., M. Noble, and D.W. Folger, Long-term observations of bottom current and bottom sediment movement on the Mid-Atlantic continental shelf, J. Geophys. Res., 84, 1187-1205, 1979.

Chang, G.C. and T.D. Dickey. 2004. Coastal ocean optical influences on solar transmission and radiant heating rate J. Geophys. Res. 109, C01020, doi:10.1029/2003JC001821,

Chapman, D.C. and R.C. Beardsley. 1989. On the origin of shelf water in the Middle Atlantic Bight. J. Phys. Oceanogr. 19: 384-391.

Chapman, D.C. and G. Gawarkiewicz, On the establishment of the seasonal pycnocline in the Middle Atlantic Bight, J. Phys. Ocean., 23, 2487-2492, 1993.

Chen RF, Zhang Y, Vlahos P, and S.M. Rudnick. 2002. The fluorescence of dissolved organic matter in the Mid-Atlantic Bight. Deep-Sea Research II 49: 4439-4459.

[CDOM fluorescence](#)

Churchill, J.H., The effect of commercial trawling on sediment resuspension and transport over the Middle Atlantic Bight continental shelf, Cont. Shelf Res., 9, 841-864, 1989.

DeGrandpre, M.D., G.J. Olbu, C.M. Beatty and T.R. Hammar. 2002. Air-sea CO<sub>2</sub> fluxes on the US Middle Atlantic Bight. Deep-Sea Research II 49: 4355-4367.

[seasonal air-sea CO<sub>2</sub> fluxes](#)

DeGrandpre, M.D., A. Vodacek, R.K. Nelson, E.J. Bruce, and N.V. Blough. 1996. Seasonal seawater optical properties of the U.S. Middle Atlantic Bight. *J. Geophys. Res.* 101: 22,727-22,736.

[Chl-a](#), [aCDOM](#), [ad](#), [aCDM](#)

DeMaster, D.J., C.J. Thomas, N.E. Blair, W.L. Fornes, G. Plaia, and L.A. Levin. 2002. Deposition of bomb  $^{14}\text{C}$ in continental slope sediments of the Mid-Atlantic Bight: assessing organic matter sources and burial rates. *Deep-Sea Research II* 49: 4667–4685.

Del Vecchio, R, Blough NV. 2004. Spatial and seasonal distribution of chromophoric dissolved organic matter and dissolved organic carbon in the Middle Atlantic Bight.

MAR. CHEM. 89: 169-187

[DOC](#), [a\(CDOM\)](#), [CDOM fluorescence](#), [seasonal](#)

Eslinger, D.L. and R.L. Iverson. 1986. Wind effects on CZCS chlorophyll patterns in the U.S. Mid-Atlantic Bight during spring, 1979. *Journal of Geophysical Research* 91:12,985-12,992.

Falkowski, P.G., Biscaye, P.E., Sancetta, C., 1994. The lateral flux of biogenic particles from the eastern North American continental margin to the North Atlantic Ocean. *Deep-Sea Research II* 41: 583–601.

[POC](#), [POC flux](#), [PN & flux](#), [Phyto-C & comp](#),

Falkowski, P.G., C.N. Flagg, G.T. Rowe, S.L. Smith, T.E. Whittlestone and C.D. Wirick. 1988. The fate of a spring diatom bloom: export or oxidation? *Continental Shelf Research* 8: 457-484.

[POC flux](#), [Chl-a](#), [Phyto comp](#), [PP](#), [iPP](#), [Phyt-C \(& turnover\)](#), [PN flux](#), [copepod grazing](#)

Flagg, C.N., R.W. Houghton and L.J. Pietrafesa. 1994. Summertime thermocline/salinity maximum intrusions in the Mid-Atlantic Bight. *Deep-Sea Res. II* 41: 325-340.

Flagg, C.N., L.J. Pietrafesa, and G.L. Weatherly. 2002. Springtime hydrography of the southern Middle Atlantic Bight and the onset of seasonal stratification. *Deep-Sea Research II* 49: 4297–4329.

Gordon, H.R., D.K. Clark, J.W. Brown, O.B. Brown, R.H. Evans and W.W. Broenkow. 1983. Phytoplankton pigment concentration in the Middle Atlantic Bight: comparison of ship determinations and CZCS estimates. *Appl. Optics*, 22: 20-36.

Guo, L., Santschi, P.H., Cifuentes, L.A., Trumbore, S., Southon, J., 1996. Cycling of high molecular weight dissolved organic matter in the Middle Atlantic Bight as revealed by carbon isotopic ( $^{13}\text{C}$  and  $^{14}\text{C}$ ) signatures. *Limnology and Oceanography* 41, 1242–1252.

Hoge, F.E., and P.E. Lyon. 1996. Satellite retrieval of inherent optical properties by linear matrix inversion of oceanic radiance models: An analysis of model and radiance measurement errors. *J. Geophys. Res.*, 101: 16,631-16,648.

Hoge, F.E., and P.E. Lyon. 1999. Spectral parameters of inherent optical property models: method for satellite retrieval by matrix inversion of an oceanic radiance model. *Appl. Optics*, 38: 1657-1662.

Hoge, F.E., C.W. Wright, P.E. Lyon, R.N. Swift and J.K. Yungel. 2001. Inherent optical properties imagery of the western North Atlantic Ocean: Horizontal spatial variability of the upper mixed layer. *J. Geophys. Res.* 106: 31,129-31,140.

Hoge, F.E., C.W. Wright, P.E. Lyon, R.N. Swift and J.K. Yungel. 1999. Satellite retrieval of inherent optical properties by inversion of an oceanic radiance model: a preliminary algorithm. *Appl. Optics* 38: 495-504.

Hopkinson Jr., C.S., J.J. Vallino and A. Nolin. 2002. Decomposition of dissolved organic matter from the continental margin. *Deep-Sea Res. II* 49: 4461-4478.

[DOC](#), [DOC lability](#), [DON](#), [DOP](#), [Chl-a](#), [NO<sub>3</sub>](#), [PO<sub>4</sub>](#), [CTD](#)

Houghton, R.W. 1995. The bottom boundary-layer structure in the vicinity of the Middle Atlantic Bight shelfbreak front. *Cont. Shelf Res.* 15: 1173-1194.

Houghton, R.W., C.N. Flagg and L.J. Pietrafesa. 1994. Shelf-slope water frontal structure, motion and eddy heat-flux in the southern Middle Atlantic Bight. *Deep-Sea Res. II* 41: 273-306.

Houghton, R.W. and J. Marra. 1983. Physical biological structure and exchange across the thermohaline shelf slope front in the New-York Bight. *J. Geophys. Res.- Oceans and Atmospheres* 88: 4467-4481.

Houghton, R.W., D.B. Olson and P.J. Celone. 1986. Observation of an anticyclonic eddy near the continental-shelf break south of New-England. *J. Phys. Oceanogr.* 16: 60-71.

Houghton, R.W., R. Schlitz, R.C. Beardsley, B. Butman and J.L. Chamberlin. 1982. The Middle Atlantic Bight cold pool - evolution of the temperature structure during Summer 1979. *J. Phys. Oceanogr.* 12: 1019-1029.

Houghton, R.W. and M. Visbeck. 1998. Upwelling and convergence in the Middle Atlantic Bight shelfbreak front. *Geophysical Research Letters*, 25: 2765-2768.

Johannessen, S.C., W. L. Miller and J. J. Cullen. 2003. Calculation of UV attenuation and colored dissolved organic matter absorption spectra from measurements of ocean color. *J. Geophys. Res.* 108: 3301, doi:10.1029/2000JC000514.

[DOC](#), [aCDOM](#), [Lu/Ed\(l\)](#), [Kd†](#)

Johnson, D.R., J. Miller and O. Schofield. 2003. Dynamics and optics of the Hudson River outflow plume. *J. GEOPHYS. RES.* 108, NO. C10, 3323, doi:10.1029/2002JC001485.

Kemp, P.F., P.G. Falkowski, C.N. Flagg, W.C. Phoel, S.L. Smith, D.W.R. Wallace, and C.D. Wirick, Modeling vertical oxygen and carbon flux during stratified spring and summer conditions on the continental shelf, Middle Atlantic Bight, eastern U. S. A., *Deep-Sea Res.*, 41, 629-655, 1994.

Lyne, V.D., B. Butman, and W.D. Grant, Sediment movement along the U. S. east coast continental shelf- I. Estimates of bottom stress using the Grant-Madsen model and near-bottom wave and current measurements, *Cont. Shelf. Res.*, 10, 397-428, 1990.

Lyne, V.D., B. Butman, and W.D. Grant, Sediment movement along the U. S. east coast continental shelf- II. Modelling suspended sediment concentration and transport rate during storms, *Cont. Shelf Res.*, 10, 429-460, 1990.

Madsen, O.S., L.D. Wright, J.D. Boon, and T.A. Chisholm, Wind stress, bed roughness and sediment suspension on the inner shelf during an extreme storm event, *Cont. Shelf Res.*, 13, 1303-1324, 1993.

Magnuson, A., L.W. Harding, Jr., M.E. Mallonee and J.E. Adolf. 2004. Bio-optical model for Chesapeake Bay and the Middle Atlantic Bight, *Est. Coast. Shelf Sci.* 61: 403-424.

Marra, J., R. W. Houghton, D. C. Boardman and P. J. Neale, 1982: Variability in Surface Chlorophyll-a at a Shelf-Break Front. *Journal of Marine Research*, 40: 575-591.

Marra, J., R. W. Houghton and C. Garside, 1990: Phytoplankton Growth at the Shelf-Break Front in the Middle Atlantic Bight. *Journal of Marine Research*, 48: 851-868.

Mayer, D.A., D.V. Hansen, and D.A. Ortman, Long-term current and temperature observations on the Middle Atlantic shelf, *J. Geophys. Res.*, 84, 1776-1792, 1979.

Milliman, J.D., O.H. Pilkey, and D.A. Ross. 1972. Sediments of the continental margin off the eastern United States, *Geol. Soc. Amer. Bull.* 83: 1315-1334.

Minor, E.C. and T.I. Eglinton. 1999. Molecular-level variations in particulate organic matter subclasses along the Mid-Atlantic Bight. *Mar. Chem.* 103: 103-122.

**POC, Chl-a, fuco, diadino, C/N, NO3, PO4, CTD**

Mitra, S., T.S. Bianchi, L. Guo and P.H. Santschi. 2000. Terrestrially derived dissolved organic matter in the Chesapeake Bay and the Middle Atlantic Bight. *Geochim. Cosmochim. Acta* 64: 3547–3557.

Oliver, M. J., O. Schofield, T. Bergmann, S. Glenn, C. Orrico and M. Moline. 2004.

Deriving in situ phytoplankton absorption for bio-optical productivity models in turbid waters. *JOURNAL OF GEOPHYSICAL RESEARCH*, 109, C07S11,  
doi:10.1029/2002JC001627, 2004

Ou, H.W., R.C. Beardsley, D. Mayer, W.C. Boicourt, and B. Butman, An analysis of subtidal current fluctuations in the Middle Atlantic Bight, *J. Phys. Ocean.*, 11, 1383-1392, 1981.

Ou, H. W. and R. Houghton, 1982: A Model of the Summer Progression of the Cold-Pool Temperature in the Middle Atlantic Bight. *Journal of Physical Oceanography*, 12(10): 1030-1036.

Pietrafesa, L.J., C.N. Flagg, L. Xie, G.L. Weatherly, J.M. Morrison. 2002. The winter/spring 1996 OMP current, meteorological, sea state and coastal sea level fields. *Deep-Sea Research II* 49: 4331–4354.

Pietrafesa, L. J., J. M. Morrison, M. P. Mccann, J. Churchill, E. Bohm and R. W. Houghton, 1994: Water mass linkages between the Middle and South-Atlantic Bights. *Deep-Sea Research II*, 41: 365-389.

Posmentier, E. S. and R. W. Houghton, 1981: Springtime Evolution of the New-England Shelf Break Front. *Journal of Geophysical Research-Oceans and Atmospheres*, 86(NC5): 4253-4259.

Raymond, P.A., Bauer, J.E., 2001. Riverine export of aged terrestrial organic matter to the North Atlantic Ocean. *Nature* 409, 497–500.

Ryan, J.P., J.A. Yoder, P.C. Cornillon, and J. Barth, Chlorophyll Enhancement and Mixing Associated with Meanders of the Shelfbreak Front in the Mid-Atlantic Bight, *JGR*, In press.

Ryan, John P., James A. Yoder, and Peter C. Cornillon, 1999. Enhanced Chlorophyll at the Shelfbreak of the Mid-Atlantic Bight and Georges Bank During the Spring Transition. *Limnology and Oceanography*, 44, 1-11.

Shaw, P. T., L. J. Pietrafesa, C. N. Flagg, R. W. Houghton and K. H. Su, 1994: Low-Frequency Oscillations on the Outer Shelf in the Southern Mid-Atlantic Bight. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 41(2-3): 253-271.

Taylor, G.T., J. Way, and M.I. Scranton. 2003. Planktonic carbon cycling and transport in surface waters of the highly urbanized Hudson River estuary. *Limnol. Oceanogr.*, 48: 1779–1795.

POC, DOC, Chl-a, NPP, Phyt+Bac-C, Respiration ...

Verity, P.E., J.E. Bauer, C.N. Flagg, D.J. DeMaster, D.J. Repeta. 2002. The Ocean Margins Program: an interdisciplinary study of carbon sources, transformations, and sinks in a temperate continental margin system. Deep-Sea Res. 49: 4273-4295.

Verity, P. G., Redalje, D. G., S. E. Lohrenz, and G. A. Paffenhofer. 2002 Coupling between primary production and pelagic consumption in temperate ocean margin pelagic ecosystems. Deep-Sea Research II, 49, 4553-4569.

[PP, PP\(<8μm\), microzoo grazing](#)

Vlahos P., Chen R.F., Repeta D.J. 2002 Dissolved organic carbon in the Mid-Atlantic Bight. Deep Sea Research Part II 49: 4369-4385.

[DOC](#)

Vodacek, A., N.V. Blough , M.D. DeGrandpre, E.T. Peltzer and R.K. Nelson. 1997. Seasonal variation of CDOM and DOC in the Middle Atlantic Bight: Terrestrial inputs and photoxidation. Limnol. Oceanogr. 42: 674-686.

[DOC, acDOM, CDOM fluorescence](#)

Vodacek, A., F.E. Hoge, R.N. Swift, J.K. Yungel, E.T. Peltzer and N.V. Blough. 1995. The use of in situ and airborne fluorescence measurements to determine UV absorption coefficients and DOC concentrations in surface waters. Limnol. Oceanogr. 40: 411-415.

[DOC, acDOM, CDOM fluorescence](#)

Walsh, J.J. (Ed.), 1988. Shelf Edge Exchange Processes of the Mid-Atlantic Bight, Vol. 8. Continental Shelf Research. Oxford, New York, NY, p. 514.

Walsh, J. J., Dieterle, D. A., and Esaias, W. E. (1987a). Satellite detection of phytoplankton export from the Mid-Atlantic Bight during the 1979 spring bloom. Deep-Sea Res., 34, 675- 703.

Walsh, J.J., D.A. Dieterle and M.B. Meyers. 1988. A simulation analysis of the fate of phytoplankton within the Mid-Atlantic Bight, Cont. Shelf Res. 8: 757-787.

Walsh, J.J., Premuzic, E.T., Gaffney, J.S., Rowe, G.T., Harbottle, G., Stoermer, R.W., Balsam, W.L., Betzer, P.R., and Macko, S.A. 1985. Organic storage of CO<sub>2</sub> on the continental slope off the Mid-Atlantic Bight, the Southeastern Bering Sea, and the Peru coast. Deep-Sea Res. 32: 853-883.

Walsh, J.J., Whitledge, T.E., Barvenik, F.W., Wirick, C.D., Howe, S.O., Esaias, W.E., and Scott, J. T. 1978. Wind events and food chain dynamics within the New York Bight. Limno. Oceanogr. 23: 659-683.

Walsh, J.J, C.D. Wirick, L.J. Pietrafesa, T.E. Whitledge, F.E. Hoge, and R.N. Swift. 1988. High-frequency sampling of the 1984 spring bloom within the Mid-Atlantic Bight: synoptic shipboard, aircraft, and in situ perspectives of the SEEP-I experiment. Cont. Shelf Res. 8: 529-563.

Whitledge, T.E. and C.D. Wirick, Observations of chlorophyll concentrations off Long Island from a moored in situ fluorometer, Deep-Sea Res., 30, 297-309, 1983.

Wirick, C.D., Exchange of phytoplankton across the continental shelf-slope boundary of the Middle Atlantic Bight during spring 1988, Deep-Sea Res., 41, 391-410, 1994.

Woodroffe, D. S., R. W. Houghton and E. S. Posmentier, 1978: Time and Space Variability of Inter-Leaving Structure at Shelf Break in New-York Bight. Transactions-American Geophysical Union, 59(4): 303-303.

Wright, L.D., J.D. Boon, M.O. Green, and J.H. List, Response of the mid shoreface of the southern Mid-Atlantic Bight to a "Northeaster", Geo Mar. Lett., 6, 153-160, 1986.

Wright, L.D., J.D. Boon, S.C. Kim, and J.H. List, Modes of cross-shore sediment transport on the shoreface of the Middle Atlantic Bight, Mar. Geol., 96, 19-51, 1991.

Wright, L.D., J.P. Xu, and O.S. Madsen, Across-shelf benthic transports on the inner shelf of the Middle Atlantic Bight during the "Halloween storm" of 1991, Mar. Geol., 118, 61-77, 1994.

## Chesapeake Bay

Austin, J.A. 2002. Estimating the mean ocean-bay exchange rate of the Chesapeake Bay. *J. Geophys. Res.* 107: 3192, doi:10.1029/2001JC001246

Bratton JF, Colman SM, Seal RR. 2003. Eutrophication and carbon sources in Chesapeake Bay over the last 2700 yr: Human impacts in context. *GEOCHIMICA ET COSMOCHIMICA ACTA* 67: 3385-3402.

Fisher, T.R., J.D. Hagy and E. Rochelle-Newall. 1998. Dissolved and particulate organic carbon in Chesapeake Bay. *Estuaries* 21: 215-229.

[DOC](#), [POC](#)

Guo, L. and P.H. Santschi. 1997. Isotopic and elemental characterization of colloidal organic matter from the Chesapeake Bay and Galveston Bay. *Mar. Chem.* 59: 1-15.

[DOC](#), [POC](#)

Harding, Jr., L.W., M. E. Mallonee and E. S. Perry. 2002. Toward a Predictive Understanding of Primary Productivity in a Temperate, Partially Stratified Estuary *Estuarine, Coastal and Shelf Science* 55, 437–463

Johnson, D.R., A. Weidemann, R. Arnone, and C.O. Davis. 2001. Chesapeake Bay outflow plume and coastal upwelling events: Physical and optical properties. *J. GEOPHYS. RES.* 106: 11,613–11,622.

Raymond, P.A. and J. E. Bauer 2000 Bacterial consumption of DOC during transport through a temperate estuary. *AME* 22:1-12

Raymond, P.A. and J. E. Bauer 2001. Use of  $^{14}\text{C}$  and  $^{13}\text{C}$  natural abundances for evaluating riverine, estuarine, and coastal DOC and POC sources and cycling: a review an synthesis. *Org. Geochem.* 32: 469-485.

[DOC](#), [POC](#),  $^{13}\text{C}$ ,  $^{14}\text{C}$

Raymond, P.A., J. E. Bauer, and J.J. Cole. 2000. Atmospheric CO<sub>2</sub> evasion, dissolved inorganic carbon production, and net heterotrophy in the York River estuary *Limnol. Oceanogr.*, 45: 1707–1717.

[DIC](#),  $\text{pCO}_2$ , [fluxes](#)

Rennie, S.E., J.L. Largier, and S.J. Lentz. 1999. Observations of a pulsed buoyancy current downstream of Chesapeake Bay. *J. Geophys. Res.* 104: 18227-18240.

Rochelle-Newall EJ, Fisher TR. 2002. Chromophoric dissolved organic matter and dissolved organic carbon in Chesapeake Bay. *MAR. CHEM.* 77: 23-41.

[DOC](#), [Chl-a](#), [aCDOM](#), [CDOM fluorescence](#)

Wong, K.-C. and A. Valle-Levinson. 2002. On the relative importance of the remote and local wind effects on the subtidal exchange at the entrance to the Chesapeake Bay. *J. Mar. Res.* 60: 477-498.

## Cape Hatteras

Aller, J.Y., R.C. Aller, and M.A. Green. 2002. Benthic faunal assemblages and carbon supply along the continental shelf/shelf break-slope off Cape Hatteras, North Carolina. *Deep-Sea Research II* 49: 4599–4625.

Alperin, M.J., I.B. Suayahb, and L.K. Benninger, and C.S. Martens. 2002. Modern organic carbon burial fluxes, recent sedimentation rates, and particle mixing rates from the upper continental slope near Cape Hatteras, North Carolina (USA), *Deep-Sea Research II* 49: 4645–4665

### [C-burial fluxes](#)

Churchill, J.H. and T.J. Berger. 1998. Transport of Middle Atlantic Bight shelf water to the gulf Stream near Cape Hatteras. *J. Geophys. Res.* 103: 30605-30621.

Churchill, J.H. and P.C. Cornillon, Gulf Stream water on the shelf and upper slope north of Cape Hatteras, *Cont. Shelf. Res.*, 11, 409-431, 1991.

Lochhead, V. C., Steven E. Lohrenz, and D. G. Redalje (1998) Spectral reflectance ratios and their relationship to chlorophyll concentrations off Cape Hatteras, NC, *Journal of the Mississippi Academy of Sciences*, 43, 60.

Lohrenz, Steven E., Donald G. Redalje, Peter G. Verity, Charles L. Flagg and Kenneth V. Matulewski. 2002. Primary production on the continental shelf off Cape Hatteras, North Carolina. *Deep-Sea Research II*, 49, 4479-4509.

### [DO, alkalinity, nutrients](#)

Matulewski, K. V., Redalje, D. G. and Steven E. Lohrenz (1998) Variability in the inherent optical properties in spring and summer case II water masses off Cape Hatteras, North Carolina, *Journal of the Mississippi Academy of Sciences*, 43, 60.

Mayer, L., L. Benninger, M. Bock, D. DeMaster, Q. Roberts, and C. Martens. 2002. Mineral associations and nutritional quality of organic matter in shelf and upper slope sediments off Cape Hatteras, USA: a case of unusually high loadings. *Deep-Sea Research II* 49: 4587–4597.

Redalje, D.G. S. E. Lohrenz, P. G. Verity, and C. L. Flagg. 2002. Phytoplankton dynamics within a discrete water mass off Cape Hatteras, North Carolina: The Lagrangian experiment. *Deep-Sea Research II*, 49, 4511-4531.

### [iPP, <8µm iPP, chl-a, pigments](#)

Sherr, E.B., B.F. Sherr and P.G. Verity. 2002. Distribution and relation of total bacteria, active bacteria, bacterivory, and volume of organic detritus in Atlantic continental shelf waters off Cape Hatteras NC, USA. Deep-Sea Res. 49: 4571-4585.

[POC, Chl-a, NO<sub>3</sub>, Bacterial numbers, CTD](#)

Thomas, C.J., N.E. Blair, M.J. Alperin, D.J. DeMaster, R.A. Jahnke, C.S. Martens and L. Mayer. 2002. Organic carbon deposition on the North Carolina continental slope off Cape Hatteras (USA) Deep-Sea Research II 49: 4687–4709.

Verity, P.G., G.-A. Paffenhöfer, D. Wallace, E. Sherr and B. Sherr. 1996. Composition and biomass of plankton in spring on the Cape Hatteras shelf, with implications for carbon flux. Cont. Shelf Res. 16: 1087-1116.

[Plankton C composition, Bac C, bacterivory, chl-a, grazing](#)

Wood, A.M. and N.D. Sherry, Mixing of chlorophyll from the Middle Atlantic Bight cold pool into the Gulf Stream at Cape Hatteras in July 1993, J. Geophys. Res., 101, 20,579-20,593, 1996.

Zhang, X., M. Roman, D. Kimmel, C. McGilliard and W. Boicourt. 2006. Spatial variability in plankton biomass and hydrographic variables along an axial transect in Chesapeake Bay. J. Geophys. Res. 111, C05S11, doi:10.1029/2005JC003085.

## SAB

Atkinson, L.P., J.L. Miller, T.N. Lee, and W.M. Dunstan, Nutrients and chlorophyll at the shelf break off the southeastern United States during the Genesis of Atlantic Lows Experiment: Winter 1986, *J. Geophys. Res.*, 101, 20,565-20,578, 1996.

Atkinson, L.P., G.A. Paffenhofer, and W.M. Dunstan., 1978. Chemical and biological effect of a Gulf-Stream intrusion off St-Augustine, Florida. *Bull. Mar. Sci.*, 28: 667-679.

Avery, G.B., Kieber, R.J., Willey, J.D., Shank, G.C. and Whitehead R.F. 2004. Impact of hurricanes on the flux of rainwater and Cape Fear River water dissolved organic carbon to Long Bay, southeastern United States. *Glob. Biogeochem. Cycl.* 18: Art. No. GB3015  
[DOC, DOC lability](#)

Bishop, S.S., J.A. Yoder, and G.A. Paffenhofer. 1980. Phytoplankton and nutrient variability along a cross-shelf transect off Savannah, Georgia, USA. *Est. Coast. Mar. Sci.* 11: 359-368.

Blanton, J.O., L.P. Atkinson, C.R. McClain, D.W. Menzel, G.A. Paffenhofer, L.J. Pietrafesa, L.R. Pomeroy, H.L. Windom and J.A. Yoder. 1984. A multidisciplinary oceanography program on the southeastern U. S. continental shelf, *EOS, Trans. Am. Geophys. Union*, 65: 1202-1203.

Bontempi, P.S. and J.A. Yoder. 2004. Spatial variability in SeaWiFS imagery of the South Atlantic bight as evidenced by gradients (fronts) in chlorophyll a and water-leaving radiance. *Deep-Sea Res. I* 51: 1019-1032.

Cai, W.-J., Wang, Z.A. and Wang, Y. 2003. The role of marsh-dominated heterotrophic continental margins in transport of CO<sub>2</sub> between the atmosphere, the land-sea interface and the ocean. *Geophys. Res. Letts.* 30: 1849, doi:10.1029/2003GL017633.

Dunstan, W.M., and L.P. Atkinson. 1976. Sources of new nitrogen for the South Atlantic Bight. In *Estuarine Processes*, [ed.] M. Wiley, pp. 69-78, Academic Press, New York.

Goni, M.A., Teixeira, M.J. and Perkey, D.W. 2003. Sources and distribution of organic matter in a river-dominated estuary (Winyah Bay, SC, USA). *Est. Coast. Shelf Sci.* 57: 1023-1048.

Haines, E.B.,and W.M. Dunstan. 1975. Distribution and relation of particulate organic material and primary productivity in Georgia Bight, 1973-1974. *Est. Coast. Mar. Sci.* 3: 431-441.

Hanson, R.B., C.Y. Robertson, J.A. Yoder, P.G. Verity and S.S. Bishop. 1990. Nitrogen recycling in coastal waters of southeastern United-States during Summer 1986. *J. Mar. Res.* 48: 641-660.

Ishizaka, J. 1990. Coupling of Coastal Zone Color Scanner data to a physical-biological model of the southeastern U.S. continental shelf ecosystem, 1, CZCS data description and Lagrangian particle tracing experiments, *J. Geophys. Res.*, 95: 20,167-20,182.

Ishizaka, J., 1990. Coupling of Coastal Zone Color Scanner data to a physical-biological model of the southeastern U.S. continental shelf ecosystem, 2, An Eulerian model, *J. Geophys. Res.*, 95: 20,183-20,200.

Ishizaka, J. 1990. Coupling of Coastal Zone Color Scanner data to a physical-biological model of the southeastern U.S. continental shelf ecosystem, 3, Nutrient and phytoplankton fluxes and CZCS data assimilation, *J. Geophys. Res.*, 95: 20,201-20,212.

Kowalcuk P, Cooper WJ, Whitehead RF, et al. 2003. Characterization of CDOM in an organic-rich river and surrounding coastal ocean in the South Atlantic Bight *Aq. Sci.* 65: 384-401.

#### **CDOM**

Lee, T.N., Atkinson, L.P., 1983. Low-frequency current and temperature variability from Gulf Stream frontal eddies and atmospheric forcing along the southeast US outer continental shelf. *Journal of Geophysical Research* 88, 4541–4567.

Lee, T.N., Atkinson, L.P., Legeckis, R., 1981. Observations of Gulf Stream frontal eddy on the Georgia continental shelf, April 1977. *Deep-Sea Research* 28A, 347–378.

Lee, T.N., Yoder, J.A., Atkinson, L.P., 1991. Gulfstream frontal eddy influence on productivity of the southeast U.S. continental shelf. *Journal of Geophysical Research* 96, 22191–22205.

Martins, A.M. and J.L. Pelegrí. 2006. CZCS chlorophyll patterns in the South Atlantic Bight during low vertical stratification conditions. *Cont. Shelf Res.* 26: 429–457.

McClain, C.R. and L.P. Atkinson. 1985. A note on the Charleston Gyre, *J. Geophys. Res.*, 90: 11857-11861.

McClain, C.R., J. Ishizaka and E. Hofmann. 1990. Estimation of phytoplankton pigment changes on the Southeastern U. S. continental shelf from a sequence of CZCS images and a coupled physical-biological model, *J. Geophys. Res.* 95: 20213-20235.

McClain, C.R., L.J. Pietrafesa and J.A. Yoder 1984. Observations of Gulf Stream-induced and wind-driven upwelling in the Georgia Bight using ocean color and infrared imagery, *J. Geophys. Res.* 89: 3705-3723.

McClain, C. R., L. P. Pietrafesa and J. A. Yoder, 1985. Correction to 'Observations of Gulf Stream-induced and wind-driven upwelling in the Georgia Bight using ocean color and infrared imagery ', *J. Geophys. Res.* 90: 12015-12018.

McClain, C.R., J.A. Yoder, L.P. Atkinson, J.O. Blanton, T.N. Lee, J.J. Singer and F. Muller-Karger. 1988. Variability of surface pigment concentrations in the South Atlantic Bight, *J. Geophys. Res.* 93: 10,675-10,697.

Menzel, D.W. 1993. Ocean Processes: U. S. Southeast Continental Shelf. A summary of research conducted in the South Atlantic Bight under the auspices of the U. S. Department of Energy, pp. 112, U. S. Department of Energy, Savannah.

Moran, M.A., L.R. Pomeroy, E.S. Sheppard, L.P. Atkinson, and R.E. Hodson. 1991. Distribution of terrestrially derived dissolved organic matter on the southeastern U.S. continental shelf. *Limnol. Oceanogr.* 36: 1134-1149.

#### [DOC, Humic-DOC, Lignin](#)

Nelson, J.R. and S. Guarda. 1995. Particulate and dissolved spectral absorption on the continental shelf of the southeastern United States. *J. Geophys. Res.* 100: 8715-8732.

Pomeroy, L.R., L.P. Atkinson, J.O. Blanton, W.B. Campbell, T.R. Jacobsen, K.H. Kerrick and A.M. Wood. 1983. Microbial distribution and abundance in response to physical and biological processes on the continental-shelf of Southeastern USA. *Cont. Shelf Res.* 2: 1-20.

Shank, G.C., S.A. Skrabal, R.F. Whitehead, G.B. Avery and R.J. Kieber. 2004. River discharge of strong Cu-complexing ligands to South Atlantic Bight waters. *Mar. Chem.* 88: 41-51.

Verity, P.G. 2002. A decade of change in the Skidaway River estuary. II. Particulate organic carbon, nitrogen, and chlorophyll a. *Estuaries* 25: 961-975.

#### [POC, PON, Chl a, time series](#)

Yoder, J. A., L. P. Atkinson, T. N. Lee, H. H. Kim and C. R. McClain. 1981. Role of Gulf Stream frontal eddies in forming phytoplankton patches on the outer southeastern shelf. *Limnol. Oceanogr.* 26: 1103-1110.

Yoder, J.A., L.P. Atkinson, S.S. Bishop, J.O. Blanton, T.N. Lee and L.J. Pietrafesa. 1985. Phytoplankton dynamics within Gulf Stream intrusions on the southeastern United States continental shelf during summer 1981. *Cont. Shelf Res.* 4: 611-635.

Yoder, J.A., L.P. Atkinson, S.S. Bishop, E.E. Hofmann and T.N. Lee. 1983. Effect of upwelling on phytoplankton productivity on the outer southeastern U.S. continental shelf. *Cont. Shelf Res.* 1: 385-404.

Yoder, J.A., L.P. Atkinson, J.O. Blanton, D.R. Deibel, D.W. Menzel, and G.A. Paffenhofer, Plankton Productivity and the Distribution of Fishes on the Southeastern United-States Continental-Shelf, *Science*, 214 (4518), 352-353, 1981a.

Yoder, J.A., C.R. McClain, J.O. Blanton and L.-Y. Oey. 1987. Spatial scales in CZCS-chlorophyll imagery of the southeastern U. S. continental shelf. Limnol. Oceanogr. 32: 929-941.

Zepp RG, Sheldon WM, Moran MA 2004. Dissolved organic fluorophores in southeastern US coastal waters: correction method for eliminating Rayleigh and Raman scattering peaks in excitation-emission matrices Mar. Chem. 89: 15-36

## Florida

Clark, C.D., Hiscock, W.T., Millero, F.J., et al. 2004. CDOM distribution and CO<sub>2</sub> production on the southwest Florida shelf. Mar. Chem. 89: 145-167